

Protective Equipment



> Helmets and Visors



TECHNICAL DATA	MILITARY HELMET	POLICE HELMET WITH VISOR	SELF-SUPPORTING VISOR
Protection level	II + according NIJ STD	II + according NIJ STD	
Resistant against fragments	according to STANAG 2920	according to STANAG 2920	according to STANAG 2920
Mass of fragments	1.102 g velocity $V_{50} > 600\text{m/s}$	1.102 g velocity $V_{50} > 600\text{m/s}$	1.102 g velocity $V_{50} > 600\text{m/s}$
Weight	1450 g	3450 g +- 30 g	
Adjustable harness system	(for sizes 52 - 60 cm)	(for sizes 52 - 60 cm)	
Reection of outer surface	less than 2 %	less than 2 %	

SMALL ARMS
AMMUNITION

FUSES AND
GRENADES

LARGE CALLIBER
AMMUNITION

WEAPONS

SIGHTING
DEVICES

**PROTECTIVE
EQUIPMENT**

MODERNIZATION

> Protective And Undershirt Vest



TECHNICAL DATA	Protective Vest	Protective Vest	PT M6P
Protection level		level IIIA according to NIJ STD	level IIIA according to NIJ STD
Provides protection from	cal. 44 mm MAG 15,5 g. SWC V0 427 m/s	9 mm PARA 8 g. FMJ V0 427 m/s	cal. 9-44 mm PARA 8 g. FMJ V0 427 m/s
Resistant against fragments	according to STANAG 2920	18"	
Mass of fragments	1.102 g velocity V 50 > 450 m/s	1/6000 (1/6400)(mils)	
With protective plate		Protection level III according to NIJ STD	
		7,62 × 51, 9.45g FMJ SC V0 (850 - 900) m/s	
		5,56 × 45, 3.66g FMJ SC V0 (980 - 1000) m/s	

SMALL ARMS
AMMUNITION

FUSES AND
GRENADES

LARGE CALLIBER
AMMUNITION


WEAPONS

SIGHTING
DEVICES

PROTECTIVE
EQUIPMENT

MODERNIZATION

> Riot Shield



TECHNICAL DATA

laser, alarm, sprey, stun gun

lightweight

ergonomic designet handle

perfect balance

fast emergency abandonment

IIIA NIJ STD protection level

bulletproof window

protected edges

long life during

SMALL ARMS
AMMUNITION

FUSES AND
GRENADES

LARGE CALLIBER
AMMUNITION

WEAPONS

SIGHTING
DEVICES

PROTECTIVE
EQUIPMENT

MODERNIZATION